


ICLR.3 DOCUMENTATION

Creating Links to Cases on ICLR.3 using the pubrefLookup Method



Introduction

The following documentation provides guidance on how to use ICLR.3 **pubrefLookup** method to construct links to cases on ICLR.3 (iclr.co.uk) in a programmatic or scripted setting.

The **pubrefLookup** Method

The most efficient and reliable way to construct links to cases on ICLR.3 in a programmatic or scripted setting is to use the **pubrefLookup** method. The **pubrefLookup** method can be used to target cases available on ICLR.3 using the case's ICLR publication reference (e.g. [2018] 1 WLR 1).

Root URL

The **pubrefLookup** method is invoked by using the following root URL:

```
https://iclr.co.uk/pubrefLookup/redirectTo?ref=
```

Constructing the reference to the target document

The **pubrefLookup** method uses the formal constituents of the target case's ICLR publication reference (e.g. [2018] 1 WLR 1), each separated by the + symbol (e.g. [2018]+1+WLR+1).

Target a case in The Law Reports

To target [2010] 2 AC 373, the following URL would be used:

```
https://iclr.co.uk/pubrefLookup/redirectTo?ref=\[2010\]+2+AC+373
```

[2010] 2 AC 373 translates to [2010]+2+AC+373

Target a case in The Weekly Law Reports

To target [2018] 2 WLR 449, the following URL would be used:

```
https://iclr.co.uk/pubrefLookup/redirectTo?ref=\[2018\]+2+WLR+449
```

[2018] 2 WLR 449 translates to [2018]+2+WLR+449

Targeting older cases

Older cases in the ICLR case law archive have publication references that do not conform to the modern **[yyyy] n ABC n** structure. However, as with links targeting modern cases, the **pubrefLookup** method uses the formal constituents of the target case's ICLR publication reference (e.g. 36 ChD 36).

To target 36 ChD 36, the following URL would be used:

```
https://iclr.co.uk/pubrefLookup/redirectTo?ref=36+ChD+36
```

36 ChD 36 translates to 36+ChD+36

To target LR 4 AE 6, the following URL would be used:

```
https://iclr.co.uk/pubrefLookup/redirectTo?ref=LR+4+AE+6
```

LR 4 AE 6 translates to LR+4+AE+6

Targeting case summaries

ICLR publishes case summaries using the **[yyyy] WLR(D) n** reference structure (e.g. [2018] WLR(D) 449). Case summaries can also be targeted using the **pubrefLookup** method.

To target [2018] WLR(D) 449 the following URL would be used:

```
https://iclr.co.uk/pubrefLookup/redirectTo?ref=\[2018\]+WLRD+449
```

[2018] WLR(D) 449 translates to [2018]+WLRD+449